

Product Catalog

The latest Docking Station solutions for the modern hybrid work model



USB4
40Gbps, 20Gbps



Speakerphone



Wireless Dock



Multi-Displays



Dec. 2021

Good Way Technology Co., Ltd.

3F, No. 135, Ln. 235, Baociao Rd., Sindian Dist.,
New Taipei City 231, Taiwan.

Website : <http://www.goodway.com.tw>

E-mail : sales@goodway.com.tw

Tel : +886-2-8919-1200

Fax : +886-2-8919-1220



www.goodway.com.tw

A trusted partner to grow your business


Good Way at a glance

Good Way is the world's leading PC peripheral design and manufacturing company. Founded in 1983, the company is ranked above its peers for innovation, expertise and service. The company has a solid foundation of R&D, flexible customer support and dedicated product development team, each working closely to fulfil customer requirements. We have been the best business partner for global brands and will continue to enhance our partnerships with our competitive advantages.

Good Way has been dedicated to product development, having many brilliant R&D engineers in Taipei head office and establishing overseas manufacturing sites in Taipei and Kunshan. The production and operation in factories are compliant with ISO 9001/14001 standards overall, which ensure the high quality and strict management in materials and labor force.

We also provide a broad range of product lineups and business opportunities to cooperated customers including the world's well-known ODM companies, resellers and distributors by innovative product design. Currently, Good Way is focusing on the state-of-the-art Docking Stations, Thunderbolt/USB Peripherals, Wireless Charging Devices and IoT Applications to keep pace with the tech trends.


Taiwan Headquarters



Good Way Technology Co., Ltd.

3F, No. 135, Ln. 235, Baociao Rd.,
Sindian Dist., New Taipei City 231, Taiwan
Tel : +886-2-8919-1200
Fax : +886-2-8919-1220
E-mail : sales@goodway.com.tw
Website : <http://www.goodway.com.tw>

Manufacturing Sites



Taipei Factory

4F., No. 43, Zhongxing Rd. Xizhi Dist.,
New Taipei City 221012, Taiwan
Tel : +886-2-2695-2100
Fax : +886-2-2695-2130
E-mail : sales@goodway.com.tw



Kunshan Factory


Good Way Electronics Co., Ltd.
(Kunshan, China)
No.101, Hengchangjing Road, Zhoushi Town,
Kunshan City, Jiangsu 215337, P.R China
Tel : +86-512-5786-0888
Fax : +86-512-5786-0800
E-mail : sales@goodway.com.cn

Branch Offices



U.S.A.

GWC Technology Inc. (U.S.A.)
154 N. Aspan Ave. Azusa, CA 91702 U.S.A.
Tel : +1-626-820-0665
Fax : +1-626-820-0949
E-mail : sales@gwctech.com
Toll Free : 1-800-699-1529



ShangHai

Good Trend Technology Co., Ltd.
(Shanghai)
Room 8C,8F, Building E, No.50, Lane2080,
Lianhua Rd., Minhang District, 201103,
Shanghai, P.R. China
Tel : +86-21-6405-8810
Fax : +86-21-6405-8815

Our capabilities

- More than 40 years of hubs and docks experience
- Expertise in tailored OEM/ODM solutions
- Dedication to constant innovation of product design
- Global customer support and exceptional service
- Well-engineered technology and high-quality manufacturing to ensure time-to-market product launches

Contents

Thunderbolt™ 4 Dock	1
Thunderbolt™ 3 Dock	2
Speakerphone Dock	3
USB4 Dock	4
Wireless Charging Hub	5
USB-C Multi-display Dock	6
Wireless and Smart Dock	7
Selection Guide	9



Unlock Creativity and Productivity

Thunderbolt™ 4 Dock

For gaming winners and creative professionals



The World's First HDMI 2.1 Certified Thunderbolt™ 4 / USB4 Dock



Rear



DBD1330 Thunderbolt™ 4 / USB4 Dock Pro

- 2x TBT4/USB4 downstream ports supporting single 8K or dual 4K displays
- 1x HDMI2.1 port with DSC pass through
- 4x USB-A 10G (one of which supports fast charging)
- 1x RJ45 2.5GbE for fast and reliable wired network
- 1x SD4.0 card reader
- 96W Power Delivery

DBD1100

Thunderbolt™ 4 / USB4 Full Dock

- 3x TBT4/USB4 downstream ports supporting single 8K or dual 4K displays
- 3x USB-A 10G
- 1x USB-A 2.0 supporting fast charging
- 1x RJ45 1GbE
- 1x SD4.0 card reader
- 1x headset jack



Rear



Rear



DBD1010

Thunderbolt™ 4 / USB4 Compact Dock

- 3x TBT4/USB4 downstream ports supporting single 8K or dual 4K displays
- 1x USB-A 10G supporting fast charging
- 85W power delivery
- Power button

Thunderbolt™ 3 Dock

Designed for mobility and versatility



DBC15A0

Thunderbolt™ 3 Mini Dock

- Thunderbolt™ 3 single port with PD up to 60W
- 1x DP1.4 up to 8K30
- 1x HDMI 2.0 up to 4K60
- 2x USB-A 10G
- 1x USB-C PD
- 1x RJ45 1GbE & 1x headset jack



Front



Left





- 

Active Echo Cancellation
- 

Active Noise Control
- 

Environment Noise Cancellation
- 

Far-Field Voice Pick up

Thunderbolt™ 4 Speakerphone Dock

Upgrade your conference experience easily

- 
- 
- 
- 
- 
- 

DBD1500

Thunderbolt™ 4 EVO vPro Dock

- High-quality speakerphone performance
- Optional 720P webcam supports Windows Hello
- Multi-ports dock
 - TBT4 UFP & DFP
 - SD 4.0 card reader
 - DP 1.4
 - 2.5 GbE vPro technology
 - HDMI 2.1
 - USB ports aplenty
- 140W power delivery



Rear



Portable Speakerphone Dock

Perfect for every conferencing scenario

VSD5530

USB-C Speakerphone Dock

- Crystal-clear calls every time
- Portability for meetings on-the-go
- Capacitive multi-touch buttons and LED indicators
- HDMI 4K60 visual extension
- 2x USB-A 10G ports for more peripheral connections
- Supports both bus-powered and self-powered modes, up to 85W PD pass-through to charge host laptop




Rear



Conference call



Family call



Online class



Portable design

USB4 Dock

The latest USB generation for mobile workspace

- 
- 
- 
- 
- 
- 



VS41000

USB4 Compact Dock

- 40G USB4 upstream tethered cable
- 1x HDMI 2.1 & 1x DP1.4
- Single 4K120 / Dual 4K60
- 1x LAN & 1x Audio
- 65W PD pass-through

VS43000

USB4 Mobile Dock

- Created for business travelers with portable monitors
- 2x USB-C MFD/10G
- 1x HDMI 2.0
- 4K dual displays
- SD 4.0 card reader
- 65W PD pass-through






Wireless Charging Hub

Stay charged to enhance workstation



VSD5610




VSD5600

VSD5610 USB-C Wireless Charging MagSafe Hub


- MagSafe phone charging up to 15W
- Power bank 10,000 mAh
- USB-C 10G tethered cable 30cm
- 1x HDMI 2.0 4K60 display
- 2x USB-A 10G
- 1x USB-C PD charging port
- PD 65W pass-through
- Dual power role

VSD5600 USB-C Wireless Charging Hub

- Qi phone charging up to 15W
- Power bank 10,000 mAh
- USB-C 10G tethered cable 30cm
- 1x HDMI 2.0 4K60 display
- 2x USB-A 10G
- 1x USB-C PD charging port
- PD 65W pass-through
- Dual power role



USB-C Universal Display Docking Station Series



The USB-C universal video docking stations integrate the DisplayLink and USB-C Alt mode technologies, they are fully compatible with any USB-C and Thunderbolt enabled laptops, and work with Win/Mac/Chrome OS platforms. The series of docks is designed for the professional users requiring more external monitors and connectivity expansion.

The 3 new docks feature flexible video output options of HDMI and DP, support power delivery up to 96W and provide plenty of ports to highly increase productivity. Through one cable, they can effortlessly transform your slim laptop to the productive desk setup for both workspace and home office.

Seek a solution of more external displays for M1 Mac?


Flexible Design Options



DUD3401
DUD3501
DUD3601



DUD3400
DUD3500
DUD3600



- Win/Mac/Chrome/M1 chip compatible
- Multiple Displays
 - DUD3400: Triple 2K via 3x HDMI
 - DUD3500: Triple 4K via 3x DP/HDMI
 - DUD3600: Quad 2K via 4x HDMI
- USB ports aplenty
- 1x LAN & 1x SD4.0 card reader
- 96W power delivery
- Vertical installation takes up less space on the desk

Rear



DUD3400
2K 2K 2K
3 x HDMI



DUD3500
4K 4K 4K
3 x HDMI / DP



DUD3600
2K 2K 2K 2K
4 x HDMI



Wireless Brings Effortless

Wireless USB Display Dock

Clutter-free connectivity



NDW2000



Wireless Conferencing
Easy setup, cost saving of cable installation. Dual displays for Photos & Shared documentation.



Dual 4K or Ultrawide over Wireless
2 x 3840 x 2160 / 5120 x 1440



No Touch
Wireless dock becomes the good policy to reduce the risk of COVID-19.



Hybrid Wireless / Wired
Wireless or Wired connection to the host is supported.



Smart Connected
Booking, remote management, and reporting via cloud APIs.



Dock-on-approach
Securely pair the laptop & dock as the user walk up.




Securely disconnects
Connection ended and screens blanked on departure.

Smart Tracing


Smart indoor positioning solution

- Battery-powered anchor, easy OT operation
- Support contact tracing & geofence API integration
- Support both on-premise and PaaS deployment



Smart Hospital

- Navigate visitors to find washroom or patients.
- Help medical staffs find lost medical equipment.
- Patient status update to nursing station for early management.



USB-C Smart Dock

Simple and fast deployment of massive devices in the workspace with reliable wireless mesh technologies



DUD8070

Control massive wireless device in a workspace reliably with Wireless and BLE Mesh

- Hub-less. No complicated setting for hub or gateway.
- Web-base dashboard review
- Each I/O port monitoring and control
- OTA firmware update via one-click or scheduling
- Data review in daily, weekly or monthly
- Data export for analytics or comparison

Patented Bluetooth mesh facilitating near real time data update (within 3 to 10 seconds).

- IoT Module (Wireless & Bluetooth Mesh)
- 2x DP1.2 ports and 1x HDMI2.0 port
- Max.3 x FHD display
- PD up to 65W Charging (Max.)

Front




Rear



Cluster-tree mesh structure endowing network extension to limitless, worry-free of network capacity.

Desk Management for Hybrid Office



Desk management for hybrid office

SmartDock ID	Status	Location	Power	InUse	Error	USB1	USB2	USB3	USB-C	HDMI	Display1	Display2	Audio	Ethernet
SmartDock_1399	🟢	Main Office	🔌	👤	⚠️	🔌	🔌	🔌	🔌	📺	🖥️	🖥️	🔊	🌐
SmartDock_C432	🟢	Main Office	🔌	👤	⚠️	🔌	🔌	🔌	🔌	📺	🖥️	🖥️	🔊	🌐
SmartDock_ABCE	🟢	Main Office	🔌	👤	⚠️	🔌	🔌	🔌	🔌	📺	🖥️	🖥️	🔊	🌐

Data and statistics for asset management analysis



Dock usage and individual I/O port control



Blazing Speed . Unrivaled Performance



DBD14Y0
TBT4 Corporate Dock



DBD1500
TBT4 EVO vPro Dock



DBD1600
TBT4 vPro Dock

Model	DBD14Y0	DBD1500	DBD1600
Description	TBT4 Corporate Dock	TBT4 EVO vPro Dock	TBT4 vPro Dock
TBT4 upstream	1x	1x	1x
TBT4 downstream	1x	1x	1x
USB downstream	2x USB-C 10G 4x USB-A 10G	1x USB-C 10G 4x USB-A 10G	1x USB-C 10G 4x USB-A 10G
Legacy video port	2x DP1.4, 2x HDMI 2.0	2x DP1.4, 1x HDMI 2.1	2x DP1.4, 1x HDMI 2.1
Max. display	1x 8K30 / 4x 4K30	1x 8K60 / 4x 4K60	1x 8K60 / 4x 4K60
SD 4.0	1x	1x	1x
Audio in/out	1x	-	1x
Speakerphone	-	Speaker, Mic, Optional Webcam	-
LAN	1GbE	2.5GbE (vPro)	2.5GbE (vPro)
PD	PD 90W	PD 140W	PD 140W
PSU	DC 135W	DC 180W	DC 180W
TBT4 cable	0.8m	1m	1m
Application	SMB, Business	Enterprise, Conference	Enterprise

Thunderbolt™ 4 Dock



DBD1010
TBT4 Compact Dock



DBD1100
TBT4 Full Dock



DBD1330
TBT4 Dock Pro

Model	DBD1010	DBD1100	DBD1330
Description	TBT4 Compact Dock	TBT4 Full Dock	TBT4 Dock Pro
TBT4 upstream	1x	1x	1x
TBT4 downstream	3x	3x	2x
USB downstream	1x USB-A 10G	3x USB-A 10G 1x USB-A 2.0	4x USB-A 10G
Legacy video port	-	-	1x HDMI 2.1
Max. display	1x 8K30 / 2x 4K60	1x 8K30 / 2x 4K60	1x 8K30 / 2x 4K60
SD 4.0	1x	1x	1x
Audio in/out	1x	1x	1x
Speakerphone	-	-	-
LAN	1GbE	1GbE	2.5GbE
PD	PD 85W	PD 90W	PD 96W
PSU	DC 100W	DC 135W	DC 135W
TBT4 cable	0.7m	0.7m	0.7m
Application	Office, WFH	Office, WFH	Creator, Gamer

Thunderbolt™ 3 Dock



DBC1240
TBT3 8K UHD Dock




DBC1480
TBT3 Dual 4K Dock



DBC15A0
TBT3 Mini Dock

Model	DBC1240	DBC1480	DBC15A0
Description	TBT3 8K UHD Dock	TBT3 Dual 4K Dock	TBT3 Mini Dock
TBT3 upstream	1x	1x	Tethered TBT3 40G cable
TBT3 downstream	1x	-	-
USB downstream	4x USB-A 5G 2x USB-C 10G	3x USB-A 5G 2x USB-C 10G	2x USB-A 10G 1x USB-C (PD)
Legacy video port	DP 1.4	2x DP 1.4	1x DP 1.4 1x HDMI 2.0
Max. displays	1x 8K30 / 2x 4K60	1x 8K30 / 2x 4K60	1x 8K30 / 2x 4K60
SD 4.0	1x	-	-
Audio in/out	1x	1x	1x
LAN	1GbE	1GbE	1GbE
PD	PD 85W	PD 60W	PD pass-through 60W
PSU	DC 180W	DC 135W	-
TBT3 cable	0.7m	0.7m	Tethered cable 30cm
Application	Office, WFH	Office, WFH	Office, WFH, travel



Perfect Companion for Hybrid Normal

Wireless Charging Dock



VSD5600
Wireless Charging Qi Dock



VSD5610
Wireless Charging MagSafe Dock



VSD5700
Wireless Charging Dock MagSafe Pack

Model	VSD5600	VSD5610	VSD5700
Description	Wireless Charging Dock Qi 15W	Wireless Charging Dock MagSafe 15W	Wireless Charging Dock MagSafe Pack
USB-C upstream	Tethered cable	Tethered cable	Tethered cable
USB downstream	2x USB-A 10G 1x USB-A 2.0 1x USB-C (PD)	2x USB-A 10G 1x USB-A 2.0 1x USB-C (PD)	2x USB-A 10G 1x USB-C (PD)
Legacy video port	1x HDMI	1x HDMI	1x HDMI
Max. display	1x 4K60	1x 4K60	1x 4K60
Wireless charging	Qi 15W	MagSafe 15W	MagSafe 15W
Power bank	10,000mAh	10,000mAh	MagSafe Charging Pack
LAN	-	-	1GbE
Bus-powered	Yes	Yes	Yes
Self-powered	PD Pass-through	PD Pass-through	PD Pass-through
Cable length	30cm	30cm	30cm

USB4 Dock



VS41000
USB4 Compact Dock

VS42000
USB4 Slim Dock

VS43000
USB4 Mobile Dock

DU41000
USB4 Full Dock

Model	VS41000	VS42000	VS43000	DU41000
Description	USB4 Compact Dock	USB4 Slim Dock	USB4 Mobile Dock	USB4 Full Dock
USB4 upstream	USB-C 40G	USB-C 40G	USB-C 20G	USB-C 40G
USB downstream	1x USB-C 10G 2x USB-A 10G	2x USB-C 40G 2x USB-C 20G	2x USB-C MFD 10G 2x USB-A 5G	1x USB-C 40G 5x USB-A 10G
Legacy video port	DP1.4, HDMI2.1	-	1x HDMI 2.0	2x DP1.4, 1x HDMI 2.1
Max. display	1x 4K120 / 2x 4K60	1x 4K120 / 2x 4K60	2x 4K30	3x 4K60
SD card	-	-	1x	1x
Audio TRRS	1x	-	-	1x
LAN	1GbE	-	-	2.5GbE
Bus-powered	Yes	Yes	Yes	-
Self-powered	PD Pass-through	PD Pass-through	PD Pass-through	PD 96W
PSU	-	-	-	DC 135W
USB4 cable	Tethered cable	Tethered cable	Tethered cable	C/M-to-C/M 40G 1m

USB-C DP1.4 MST Dock




DUD2070
Triple Display Dock



DUD60A0
Dual Display Dock

Model	DUD2070	DUD60A0
Description	Triple Display Dock	Dual Display Dock
Max. display	3x 4K30	2x 4K60
USB upstream	USB-C 10G	USB-C 10G
USB downstream	1x USB-C 10G 3x USB-A 10G	1x USB-C 10G 1x USB-A 10G 4x USB-A 5G
Legacy video port	2x DP1.4, 1x HDMI 2.0	1x DP1.4, 1x HDMI 2.1
SD 4.0	-	-
Audio in/out	1x	1x
LAN	1GbE	1GbE
PD	PD 85W	PD 85W
PSU	DC 100W	DC 135W





Truly Universal . Extensive Visual

USB-C Universal Dock



DUD2260
Dual 2K Display Dock



DUD15Y0
Dual 4K Display Dock



DUD15X0
Triple 4K Display Dock



DUD3400
Triple-Display Dock

Model	DUD2260	DUD15Y0	DUD15X0	DUD3400
Description	Dual 2K Display Dock	Dual 4K Display Dock	Triple 4K Display Dock	Triple-Display Dock
Max. display	2x 2K60	2x 4K60	2x 4K60 + 1x 4K30	2x 2K60 + 1x 4K30
USB upstream	USB-C 5G	USB-C 5G	USB-C 5G	USB-C 5G
USB downstream	3x USB-A 5G	5x USB-A 5G 1x USB-C 5G (5V1.5A)	5x USB-A 5G 1x USB-C 5G (5V1.5A)	4x USB-A 5G 1x USB-C 5G (PD20W)
Legacy video port	2x HDMI	2x HDMI/DP	2x HDMI/DP + 1x HDMI	3x HDMI
SD 4.0	-	-	-	1x
Audio in/out	1x	1x / 1x	1x / 1x	1x / 1x
LAN	1GbE	1GbE	1GbE	1GbE
PD	PD 85W	PD 96W	PD 96W	PD 96W
PSU	DC 100W	DC 135W	DC 135W	DC 135W

USB-C Mini Dock



VSD5250
5-in-1 Mini Dock



VSD53B0
8-in-1 Mini Dock



VSD5480
10-in-1 Mini Dock



VSD5530
Speakerphone Dock

Model	VSD5250	VSD53B0	VSD5480	VSD5530
Description	5-in-1 Mini Dock	8-in-1 Mini Dock	10-in-1 Mini Dock	Speakerphone Dock
USB-C upstream	Tethered cable	Tethered cable	Tethered cable	Tethered cable
USB downstream	1x USB-A 5G 1x USB-C 5G (or /PD)	2x USB-A 5G 1x USB-C 5G 1x USB-C (PD)	5x USB-A 5G 1x USB-C (PD)	2x USB-A 10G 1x USB-C (PD)
Legacy video port	1x HDMI, 1x VGA	1x HDMI, 1x DP, 1x VGA	2x DP	1x HDMI
Max. display	1x 4K30	1x 4K60	2x 4K60	1x 4K60
SD card	-	-	1x SD4.0	-
Audio in/out	-	-	-	1x
Speakerphone	-	-	-	Speaker, Mic
LAN	1GbE	1GbE	1GbE	1GbE
Bus-powered	Yes	Yes	Yes	Yes
Self-powered	PD Pass-through	PD Pass-through	PD Pass-through	PD Pass-through
Cable length	30cm	30cm	30cm	30cm



DUD3500
Triple 4K Display Dock



DUD3600
Quad-Display Dock



DUD33Y1
Quad-Display Dock



DUD7000
Quad-Display Dock

Model	DUD3500	DUD3600	DUD33Y1	DUD7000
Description	Triple 4K Display Dock	Quad-Display Dock	Quad-Display Dock	Quad-Display Dock
Max. display	3x 4K60	2x 2K60 + 2x 4K60	2x 2K60 + 2x 4K60	4x 4K60
USB upstream	USB-C 10G	USB-C 5G	USB-C 5G	USB-C 10G
USB downstream	4x USB-A 5G 1x USB-C 10G (PD20W)	4x USB-A 5G 1x USB-C 5G (PD20W)	5x USB-A 5G 1x USB-C 5G (5V3A)	4x USB-A 5G 1x USB-A 10G 1x USB-C 10G (PD20W)
Legacy video port	3x HDMI/DP	4x HDMI	2x DP, 2x HDMI	4x DP
SD 4.0	1x	1x	-	1x
Audio in/out	1x / 1x	1x / 1x	1x / 1x	1x / 1x
LAN	1GbE	1GbE	1GbE	1GbE
PD	PD 96W	PD 96W	PD 85W	PD 96W
PSU	DC 135W	DC 135W	DC 135W	DC 135W

Dual Display Adapter



ANC1260
USB-C
Dual HDMI Adapter with PD



ANC1261
USB3.0 / USB-C
Dual HDMI Adapter

Model	ANC1260	ANC1261
Description	USB-C Dual HDMI Adapter with PD	USB3.0/USB-C Dual HDMI Adapter
USB-C upstream	USB-C Tethered cable	USB-C Tethered cable with C-to-A adapter
USB downstream	USB-C (PD)	-
Legacy video port	2x HDMI	2x HDMI
Max. display	2x 4K60	2x 4K60
Bus-powered	Yes	Yes
PD charging	PD Pass-through	-
Cable length	30cm	30cm

USB Ethernet Adapter



AE32000
USB-A to 2.5G
Ethernet Adapter



AEC3200
USB-C to 2.5G
Ethernet Adapter

Model	AE32000	AEC3200
Description	USB-A to 2.5G Ethernet Adapter	USB-C to 2.5G Ethernet Adapter
USB upstream	USB-A 3.1 Gen 1 tethered cable	USB-C 3.1 Gen 1 tethered cable
LAN	2.5 GbE	2.5 GbE
Supports:		
<ul style="list-style-type: none"> • Full-duplex flow control, IEEE802.3 • USB power-saving mode • Wake-On-LAN function • Mac Clone 	Yes	Yes
Supported OS	Win/Mac/Chrome/Linux	Win/Mac/Chrome/Linux
Bus-powered	Yes	Yes
Cable length	30cm	30cm

